





# Safety data sheet

# Gel Graffiti Remover

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: GEL GRAFFITI REMOVER

**Product code: 150-004** 

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** PC35: Washing and cleaning products (including solvent based products).

### 1.3. Details of the supplier of the safety data sheet

#### Company name:

OneFifty Unit 12 Barnack Trading Estate Novers Hill Bedminster Bristol BS3 5QE UK

Tel: +44 (0)333 234 1445 Email: info@onefifty.co.uk

## 1.4. Emergency telephone number

**Emergency tel:** +44 (0)333 234 1445 (office hours only)

#### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Skin Irrit. 2: H315





Most important adverse effects: Causes skin irritation. Causes serious eye irritation.

#### 2.2. Label elements

#### Label elements:

**Hazard statements:** H315: Causes skin irritation.

**H319:** Causes serious eve irritation.

Signal words: Warning

**Hazard pictograms:** GHS07: Exclamation mark



**Precautionary statements:** P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical attention.

P332+313: If skin irritation occurs: Get medical advice.

P362: Take off contaminated clothing.

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# **Section 3: Composition/information on ingredients**

# 3.2. Mixtures

#### **Hazardous ingredients:**

DIMETHYL GLUTARATE

EINECS	CAS	PBT / WEL	CLP	Percent
			Classification	



_		Substance with	-	30-50%
2	40-0	a Community		
		workplace		
		exposure limit.		

### DIPROPYLENE GLYCOL DIMETHYL ETHER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
404- 640-5	111109- 77-4	Substance with a Community workplace exposure limit.	-	1-10%

#### 3-BUTOXYPROPAN-2-OL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
225-878-4	5131-66-8	-	Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-10%

#### DIMETHYL ADIPATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
211-020-	0 - 7	Substance with a Community workplace exposure limit.	-	1-10%

### DIMETHYL SUCCINATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
203-419-9	106-65-0	-	Eye Irrit. 2: H319	1-10%

# **Section 4: First aid measures**

# 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. Seek medical attention if irritation or symptoms persist.

**Eye contact:** Bathe the eye with running water for 15 minutes. Get medical attention if irritation persists.





**Ingestion:** Do not induce vomiting. Wash out mouth with water. Give 1 cup of water to drink every 10 minutes. Seek medical attention if irritation persist.

**Inhalation:** No specific first aid measures noted.

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

# 4.3. Indication of any immediate medical attention and special treatment needed

# **Section 5: Fire-fighting measures**

# 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures





**Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

### 6.2. Environmental precautions

**Environmental precautions:** Prevent discharge of larger quantity to drain. Packaging should be recycled after residual emptying; minor product residues may be rinsed out. Prevent further spillage if safe.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Minor spillage should be wiped away or flushed away with water. Large quantities should be collected for incineration in accordance with the local regulations. In case of spills, beware of slippery floors and surfaces. Clean spillage area thoroughly with plenty of water.

#### 6.4. Reference to other sections

# Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance. Adopt best Manual Handling considerations when handling, carrying and dispensing.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

### 7.3. Specific end use(s)

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

**Hazardous ingredients:** 

DIMETHYL GLUTARATE





Workplace exposure limits:

#### Respirable dust:

State	8 hour TWA	15 min STEL	8 hour TWA	15 min STEL
EU	5 ppm 33 mg/m3	-	-	-

#### DIPROPYLENE GLYCOL DIMETHYL ETHER

Workplace exposure limits:

#### Respirable dust:

State	8 hour TWA	15 min STEL	8 hour TWA	15 min STEL
EU	20 ppm	-	-	-

#### DIMETHYL ADIPATE

Workplace exposure limits:

#### Respirable dust:

State	8 hour TWA	15 min STEL	8 hour TWA	15 min STEL
EU	5ppm 36 mg/m3	-	-	-

### DIMETHYL SUCCINATE

Workplace exposure limits:

### Respirable dust:

State	8 hour TWA	15 min STEL	8 hour TWA	15 min STEL
EU	5ppm 36 mg/m3	-	-	-

#### **DNEL/PNEC Values**

**DNEL / PNEC:** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses.

**Skin protection:** Protective clothing.





BRILLIANT EXTERIOR SURFACE CLEANING

# **Section 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Straw

**Odour:** Characteristic odour

**Evaporation rate:** No data available.

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible

Viscosity: Viscous

Kinematic viscosity: 9000

Viscosity test method: ASTM D2196

Boiling point/range°C: No data available.

Melting point/range°C: No data available.

Flammability limits %: lower: No data available.

**upper:** No data available.

Flash point°C: No data available

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available.

Vapour pressure: No data available.

Relative density: 1.0-1.03

pH: No data available.

VOC g/I: No data available.

#### 9.2. Other information

Other information: No data available.

# **Section 10: Stability and reactivity**

#### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.





10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

### 11.1. Information on toxicological effects

#### **Hazardous ingredients:**

DIMETHYL GLUTARATE

ORAL	RAT	LD50	>5000	mg/kg		
DIPROPYLENE GLYCOL DIMETHYL ETHER						
ORAL	RAT	LD50	3300	mg/kg		
3-BUTOXYPROPAN-2-OL						
SKN	RBT	LD50	3100	mg/kg		

### DIMETHYL ADIPATE

ORAL	RAT	LD50	>7500	mg/kg
------	-----	------	-------	-------

# DIMETHYL SUCCINATE

ORAL	RAT	LD50	>5000	mg/kg





#### Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

# Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

# **Section 12: Ecological information**

### 12.1. Toxicity

#### **Hazardous ingredients:**

DIPROPYLENE GLYCOL DIMETHYL ETHER

DAPHNIA	48H EC50	>1000	mg/l
FISH	96H LC50	>1000	mg/l

#### 12.2. Persistence and degradability

**Persistence and degradability:** All ingredients in this formulation comply with the biodegradability criteria as lied down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Greater than 80% biodegradable according to method OECD 301.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.



#### 12.4. Mobility in soil

Mobility: No data available.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

# **Section 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Disposal operations:** Dispose of waste and residues in accordance with local authority requirements.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

# **Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

# **Section 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

#### Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.





Compilation date: 26/06/2015 Revision date: 26/06/2015

**Revision No:** 2

Phrases used in s.2 and s.3: H315: Causes skin irritation.

H319: Causes serious eye irritation.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

