

Safety data sheet

Biological Degreaser

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: BIOLOGICAL DEGREASER

Product code: 150-011

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC8: Biocidal products (e.g. Disinfectants, pest control).

1.3. Details of the supplier of the safety data sheet

Company name:

OneFifty
Unit 12 Barnack Trading Estate
Novers Hill
Bedminster
Bristol
BS3 5QE
UK

Tel: +44 (0)333 234 1445

Email: info@onefifty.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0)333 234 1445 (office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Skin Irrit. 2: H315

Most important adverse effects: Causes skin irritation.
Causes serious eye damage.

2.2. Label elements

Label elements:

Hazard statements: H315: Causes skin irritation.

H318: Causes serious eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



Precautionary statements: P280: Wear protective gloves/eye protection.

P302+352: IF ON SKIN: Wash with plenty of water/soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALCOHOLS, C12-13-BRANCHED AND LINEAR, ETHOXYLATED

EINECS	CAS	PBT / WEL	CLP Classification	Percent
931-954-4	160901-19-9	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%

3-BUTOXYPROPAN-2-OL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
225-878-4	5131-66-8	-	Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-10%

BENZENE SULPHONIC ACID, 4-C10-13-SEC-ALKYL DERIVS.

EINECS	CAS	PBT / WEL	CLP Classification	Percent
287-494-3	85536-14-7	-	Skin Corr. 1C: H314; Acute Tox. 4: H302	1-10%

C12-C15 ALCOHOL ETHOXYLATE WITH 3MEO

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	106232-83-1	-	Aquatic Acute 1: H400; Eye Dam. 1: H318	<1%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

Hazardous ingredients:

BENZENE SULPHONIC ACID, 4-C10-13-SEC-ALKYL DERIVS.

Type	Exposure	Value	Population	Effect
------	----------	-------	------------	--------

DNEL	Dermal, long-term exposure	170 mg/kg	Workers	Systemic
DNEL	Inhalation, long-term exposure	12 mg/m ³	Workers	Systemic
DNEL	Inhalation, long-term exposure	12 mg/m ³	Workers	Local
DNEL	Dermal, long-term exposure	85 mg/kg	Consumers	Systemic
DNEL	Inhalation, long-term exposure	3 mg/m ³	Consumers	Systemic
DNEL	Oral, long-term exposure	0.85 mg/kg	Consumers	Systemic
DNEL	Inhalation, long-term exposure	3 mg/m ³	Consumers	Local
PNEC	Fresh water	0.287 mg/l	-	-
PNEC	Marine water	0.0287 mg/l	-	-
PNEC	Intermittent release	0.0167 mg/l	-	-
PNEC	Treatment plant	3.43 mg/l	-	-
PNEC	Fresh water sediments	0.287 mg/kg	-	-
PNEC	Marine sediments	0.287 mg/kg	-	-
PNEC	Soil (agricultura)	35 mg/kg	-	-
PNEC	Food chain	not relevant	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Cream

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: No data available.

Viscosity: No data available.

Boiling point/range°C: No data available.

Melting point/range°C: No data available.

Flammability limits %: lower: No data available.

upper: No data available.

Flash point°C: No data available.

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available.

Vapour pressure: No data available.

Relative density: 1.00 - 1.02 pH: 8.5 - 9.5

VOC g/l: No data available.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALCOHOLS, C12-13-BRANCHED AND LINEAR, ETHOXYLATED

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>300-2000	mg/kg

3-BUTOXYPROPAN-2-OL

SKN	RBT	LD50	3100	mg/kg
-----	-----	------	------	-------

BENZENE SULPHONIC ACID, 4-C10-13-SEC-ALKYL DERIVS.

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	650	mg/kg

C12-C15 ALCOHOL ETHOXYLATE WITH 3MEO

ORAL	RAT	LD50	2001	mg/kg
------	-----	------	------	-------

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ALCOHOLS, C12-13-BRANCHED AND LINEAR, ETHOXYLATED

DAPHNIA	48H EC50	>1-10	mg/l
FISH	96H LC50	>1-10	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H ErC50	>1-10	mg/l

BENZENE SULPHONIC ACID, 4-C10-13-SEC-ALKYL DERIVS.

Daphnia magna (Water flea)	48H EC50	>1-10	mg/l
Eisenia fetida (earthworms)	14d LC50	>1000	mg/kg
Elimia	NOEC (32d)	>1-10	mg/l

Elodea canadensis	NOEC (28d)	>4	mg/l
Helianthis annuus	21d EC50	289	mg/kg
Lepomis macrochirus (Bluegill sunfish)	96H LC50	>1-10	mg/l
Lepomis macrochirus (Bluegill sunfish)	NOEC (28d)	1	mg/l
Phaseolus aureus	21d EC50	316	mg/kg
Sorghum bicolor	21d EC50	167	mg/kg

C12-C15 ALCOHOL ETHOXYLATE WITH 3MEO

ALGAE	72H IC50	1-10	mg/l
Daphnia magna	48H EC50	1-10	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	1-10	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.